

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)			Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures Predicted Noise Levels from Project Roads [B] > Criteria	Direct Mitigation Measures Required?
				non-Project Roads [A]	Project Roads [B]	Overall Noise Level [C] = [A] + [B]		[C] - [A] dB(A)	≥ 1.0 dB(A)		
P29	7/F	36.6	70	72.1	46.6	72.1	Y	0.0	N	N	N
	8/F	39.6	70	72.0	46.5	72.1	Y	0.1	N	N	N
	9/F	42.6	70	72.0	46.4	72.0	Y	0.0	N	N	N
	10/F	45.6	70	71.9	46.3	71.9	Y	0.0	N	N	N
	11/F	48.6	70	71.9	46.1	71.9	Y	0.0	N	N	N
	12/F	51.6	70	71.9	46.1	71.9	Y	0.0	N	N	N
	13/F	54.6	70	71.8	46.0	71.8	Y	0.0	N	N	N
	14/F	57.6	70	71.8	45.9	71.8	Y	0.0	N	N	N
	15/F	60.6	70	71.7	45.8	71.7	Y	0.0	N	N	N
	16/F	63.6	70	71.7	45.7	71.7	Y	0.0	N	N	N
	17/F	66.6	70	71.7	45.6	71.7	Y	0.0	N	N	N
	18/F	69.6	70	71.6	45.5	71.6	Y	0.0	N	N	N
	19/F	72.6	70	71.6	45.4	71.6	Y	0.0	N	N	N
	20/F	75.6	70	71.6	45.3	71.6	Y	0.0	N	N	N
21/F	78.6	70	71.6	45.2	71.6	Y	0.0	N	N	N	
22/F	81.6	70	71.5	45.2	71.6	Y	0.1	N	N	N	
HT3	7/F	39.7	70	70.0	21.4	70.0	N	0.0	N	N	N
	8/F	42.5	70	70.1	21.9	70.1	N	0.0	N	N	N
	9/F	45.3	70	70.3	22.5	70.3	N	0.0	N	N	N
	10/F	48.1	70	70.5	23.1	70.5	Y	0.0	N	N	N
	11/F	50.9	70	70.6	23.9	70.6	Y	0.0	N	N	N
	12/F	53.7	70	70.7	24.6	70.7	Y	0.0	N	N	N
	13/F	56.5	70	70.8	25.6	70.8	Y	0.0	N	N	N
	15/F	59.3	70	70.9	26.7	70.9	Y	0.0	N	N	N
	16/F	62.1	70	71.0	28.1	71.0	Y	0.0	N	N	N
	17/F	64.9	70	71.0	30.2	71.0	Y	0.0	N	N	N
	18/F	67.7	70	71.1	31.3	71.1	Y	0.0	N	N	N
	19/F	70.5	70	71.1	32.9	71.1	Y	0.0	N	N	N
	20/F	73.3	70	71.2	33.8	71.2	Y	0.0	N	N	N
	21/F	76.1	70	71.1	34.2	71.1	Y	0.0	N	N	N
	22/F	78.9	70	71.1	34.4	71.1	Y	0.0	N	N	N
	23/F	81.7	70	71.1	34.6	71.1	Y	0.0	N	N	N
	25/F	84.5	70	71.0	34.6	71.0	Y	0.0	N	N	N
	27/F	90.1	70	71.0	34.6	71.0	Y	0.0	N	N	N
28/F	92.9	70	71.0	34.6	71.0	Y	0.0	N	N	N	
29/F	95.7	70	70.9	34.6	70.9	Y	0.0	N	N	N	
30/F	98.5	70	70.9	34.5	70.9	Y	0.0	N	N	N	
31/F	101.3	70	70.8	34.5	70.8	Y	0.0	N	N	N	
32/F	104.1	70	70.8	34.4	70.8	Y	0.0	N	N	N	
33/F	106.9	70	70.7	34.4	70.7	Y	0.0	N	N	N	
35/F	109.7	70	70.8	34.3	70.8	Y	0.0	N	N	N	
36/F	112.5	70	70.7	34.3	70.7	Y	0.0	N	N	N	
37/F	115.3	70	70.7	34.2	70.7	Y	0.0	N	N	N	
38/F	118.1	70	70.6	34.2	70.6	Y	0.0	N	N	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)			Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures Predicted Noise Levels from Project Roads [B] > Criteria	Direct Mitigation Measures Required?
				non-Project Roads [A]	Project Roads [B]	Overall Noise Level [C] = [A] + [B]		[C] - [A] dB(A)	≥ 1.0 dB(A)		
HT3	39/F	120.9	70	70.6	34.2	70.6	Y	0.0	N	N	N
	40/F	123.7	70	70.6	34.1	70.6	Y	0.0	N	N	N
	41/F	126.5	70	70.5	34.1	70.5	Y	0.0	N	N	N
	42/F	129.3	70	70.5	34.0	70.5	Y	0.0	N	N	N
	43/F	132.1	70	70.4	34.0	70.4	N	0.0	N	N	N
	45/F	134.9	70	70.4	33.9	70.4	N	0.0	N	N	N
	46/F	137.7	70	70.4	33.9	70.4	N	0.0	N	N	N
	47/F	140.5	70	70.3	33.8	70.3	N	0.0	N	N	N
	48/F	143.3	70	70.3	33.8	70.3	N	0.0	N	N	N
	49/F	146.1	70	70.3	33.7	70.3	N	0.0	N	N	N
	50/F	148.9	70	70.3	33.7	70.3	N	0.0	N	N	N
	51/F	151.7	70	70.2	33.6	70.2	N	0.0	N	N	N
	52/F	154.5	70	70.2	33.6	70.2	N	0.0	N	N	N
	55/F	160.1	70	70.1	33.5	70.1	N	0.0	N	N	N
	56/F	162.9	70	70.0	33.5	70.0	N	0.0	N	N	N
	57/F	165.7	70	70.0	33.4	70.0	N	0.0	N	N	N
	58/F	168.5	70	70.0	33.4	70.0	N	0.0	N	N	N
	59/F	171.3	70	69.9	33.3	69.9	N	0.0	N	N	N
	60/F	174.1	70	69.9	33.3	69.9	N	0.0	N	N	N
	61/F	176.9	70	69.9	33.2	69.9	N	0.0	N	N	N
	62/F	179.7	70	69.8	33.2	69.8	N	0.0	N	N	N
	63/F	182.5	70	69.8	33.1	69.8	N	0.0	N	N	N
	65/F	185.3	70	69.7	33.1	69.7	N	0.0	N	N	N
	66/F	188.1	70	69.7	33.0	69.7	N	0.0	N	N	N
	67/F	190.9	70	69.7	33.0	69.7	N	0.0	N	N	N
	68/F	193.7	70	69.7	33.0	69.7	N	0.0	N	N	N
	69/F	196.5	70	69.6	32.9	69.6	N	0.0	N	N	N
	70/F	199.3	70	69.6	32.9	69.6	N	0.0	N	N	N
	71/F	202.1	70	69.6	32.8	69.6	N	0.0	N	N	N
	72/F	204.9	70	69.5	32.8	69.5	N	0.0	N	N	N
73/F	207.7	70	69.5	32.7	69.5	N	0.0	N	N	N	
75/F	210.5	70	69.4	32.7	69.4	N	0.0	N	N	N	
76/F	213.3	70	69.4	32.6	69.4	N	0.0	N	N	N	
77/F	216.1	70	69.4	32.6	69.4	N	0.0	N	N	N	
78/F	218.9	70	69.4	32.6	69.4	N	0.0	N	N	N	
79/F	221.7	70	69.3	32.5	69.3	N	0.0	N	N	N	
80/F	224.5	70	69.3	32.5	69.3	N	0.0	N	N	N	
HT1	7/F	39.7	70	71.8	0.0	71.8	Y	0.0	N	N	N
	8/F	42.5	70	71.7	0.0	71.7	Y	0.0	N	N	N
	9/F	45.3	70	71.5	0.0	71.5	Y	0.0	N	N	N
	10/F	48.1	70	71.4	0.0	71.4	Y	0.0	N	N	N
	11/F	50.9	70	71.3	0.0	71.3	Y	0.0	N	N	N
	12/F	53.7	70	71.1	0.0	71.1	Y	0.0	N	N	N
	13/F	56.5	70	71.0	0.0	71.0	Y	0.0	N	N	N

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)			Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures Predicted Noise Levels from Project Roads [B] > Criteria	Direct Mitigation Measures Required?
				non-Project Roads [A]	Project Roads [B]	Overall Noise Level [C] = [A] + [B]		[C] - [A] dB(A)	≥ 1.0 dB(A)		
HT1	15/F	59.3	70	70.8	0.0	70.8	Y	0.0	N	N	N
	16/F	62.1	70	70.8	0.0	70.8	Y	0.0	N	N	N
	17/F	64.9	70	70.7	0.0	70.7	Y	0.0	N	N	N
	18/F	67.7	70	70.6	0.0	70.6	Y	0.0	N	N	N
	19/F	70.5	70	70.5	0.0	70.5	Y	0.0	N	N	N
	20/F	73.3	70	70.5	0.0	70.5	Y	0.0	N	N	N
	21/F	76.1	70	70.5	0.0	70.5	Y	0.0	N	N	N
	22/F	78.9	70	70.4	0.0	70.4	N	0.0	N	N	N
	23/F	81.7	70	70.4	0.0	70.4	N	0.0	N	N	N
	25/F	84.5	70	70.3	0.0	70.3	N	0.0	N	N	N
	27/F	90.1	70	70.2	0.0	70.2	N	0.0	N	N	N
	28/F	92.9	70	70.1	0.0	70.1	N	0.0	N	N	N
	29/F	95.7	70	70.0	0.0	70.0	N	0.0	N	N	N
	30/F	98.5	70	70.0	0.0	70.0	N	0.0	N	N	N
	31/F	101.3	70	70.0	0.0	70.0	N	0.0	N	N	N
	32/F	104.1	70	69.9	0.0	69.9	N	0.0	N	N	N
	33/F	106.9	70	69.9	0.0	69.9	N	0.0	N	N	N
	35/F	109.7	70	69.8	0.0	69.8	N	0.0	N	N	N
	36/F	112.5	70	69.8	0.0	69.8	N	0.0	N	N	N
	37/F	115.3	70	69.7	0.0	69.7	N	0.0	N	N	N
	38/F	118.1	70	69.6	0.0	69.6	N	0.0	N	N	N
	39/F	120.9	70	69.6	0.0	69.6	N	0.0	N	N	N
	40/F	123.7	70	69.5	0.0	69.5	N	0.0	N	N	N
	41/F	126.5	70	69.4	0.0	69.4	N	0.0	N	N	N
	42/F	129.3	70	69.4	0.0	69.4	N	0.0	N	N	N
	43/F	132.1	70	69.3	0.0	69.3	N	0.0	N	N	N
	45/F	134.9	70	69.3	0.0	69.3	N	0.0	N	N	N
	46/F	137.7	70	69.3	0.0	69.3	N	0.0	N	N	N
	47/F	140.5	70	69.3	0.0	69.3	N	0.0	N	N	N
	48/F	143.3	70	69.2	0.0	69.2	N	0.0	N	N	N
	49/F	146.1	70	69.2	0.0	69.2	N	0.0	N	N	N
	50/F	148.9	70	69.3	0.0	69.3	N	0.0	N	N	N
	51/F	151.7	70	69.2	0.0	69.2	N	0.0	N	N	N
	52/F	154.5	70	69.2	0.0	69.2	N	0.0	N	N	N
	55/F	160.1	70	69.2	0.0	69.2	N	0.0	N	N	N
	56/F	162.9	70	69.2	0.0	69.2	N	0.0	N	N	N
	57/F	165.7	70	69.2	0.0	69.2	N	0.0	N	N	N
	58/F	168.5	70	69.1	0.0	69.1	N	0.0	N	N	N
	59/F	171.3	70	69.1	0.0	69.1	N	0.0	N	N	N
	60/F	174.1	70	69.1	0.0	69.1	N	0.0	N	N	N
	61/F	176.9	70	69.0	0.0	69.0	N	0.0	N	N	N
	62/F	179.7	70	69.0	0.0	69.0	N	0.0	N	N	N
	63/F	182.5	70	69.0	0.0	69.0	N	0.0	N	N	N
	65/F	185.3	70	68.9	0.0	68.9	N	0.0	N	N	N

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)			Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures Predicted Noise Levels from Project Roads [B] > Criteria	Direct Mitigation Measures Required?
				non-Project Roads [A]	Project Roads [B]	Overall Noise Level [C] = [A] + [B]		[C] - [A] dB(A)	≥ 1.0 dB(A)		
HT1	66/F	188.1	70	68.9	0.0	68.9	N	0.0	N	N	N
	67/F	190.9	70	68.9	0.0	68.9	N	0.0	N	N	N
	68/F	193.7	70	68.8	0.0	68.8	N	0.0	N	N	N
	69/F	196.5	70	68.8	0.0	68.8	N	0.0	N	N	N
	70/F	199.3	70	68.8	0.0	68.8	N	0.0	N	N	N
	71/F	202.1	70	68.7	0.0	68.7	N	0.0	N	N	N
	72/F	204.9	70	68.7	0.0	68.7	N	0.0	N	N	N
	73/F	207.7	70	68.7	0.0	68.7	N	0.0	N	N	N
	75/F	210.5	70	68.7	0.0	68.7	N	0.0	N	N	N
	76/F	213.3	70	68.6	0.0	68.6	N	0.0	N	N	N
	77/F	216.1	70	68.5	0.0	68.5	N	0.0	N	N	N
	78/F	218.9	70	68.5	0.0	68.5	N	0.0	N	N	N
	79/F	221.7	70	68.5	0.0	68.5	N	0.0	N	N	N
80/F	224.5	70	68.5	0.0	68.5	N	0.0	N	N	N	

Note: **Bold** figures with shaded boxes denote exceedance of relevant noise criteria