

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
P3a	3/F	19.4	70	0.0	0.0	53.8	0.0	0.0	1.5	53.8	N	0.0	N	1.5	N	N	
	4/F	22.4	70	0.0	0.0	59.5	0.0	0.0	1.6	59.5	N	0.0	N	1.6	N	N	
	5/F	25.4	70	0.0	0.0	62.7	0.0	0.0	1.2	62.7	N	0.0	N	1.2	N	N	
	6/F	28.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
	7/F	31.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
	8/F	34.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
P3b	3/F	19.4	70	0.0	27.8	64.6	0.0	40.5	0.0	64.6	N	0.0	N	40.5	N	N	
	4/F	22.4	70	0.0	27.8	71.5	0.0	49.4	0.0	71.5	Y	0.0	N	49.4	N	N	
	5/F	25.4	70	0.0	27.8	72.0	0.0	50.6	0.0	72.0	Y	0.0	N	50.6	N	N	
	6/F	28.4	70	0.0	27.8	71.9	0.0	50.4	0.0	71.9	Y	0.0	N	50.4	N	N	
	7/F	31.4	70	0.0	27.8	71.8	0.0	50.2	0.0	71.8	Y	0.0	N	50.2	N	N	
	8/F	34.4	70	0.0	27.8	71.7	0.0	50.0	0.0	71.7	Y	0.0	N	50.0	N	N	
P5	6/F	32.8	70	53.4	70.8	62.9	6.7	0.0	35.3	71.5	Y	0.0	N	35.3	N	N	
	7/F	35.8	70	53.5	70.8	63.0	6.7	0.0	35.3	71.5	Y	0.0	N	35.3	N	N	
	8/F	38.8	70	53.5	70.6	63.0	6.7	0.0	35.3	71.4	Y	0.0	N	35.3	N	N	
	9/F	41.8	70	53.6	70.5	63.1	6.7	0.0	35.4	71.3	Y	0.0	N	35.4	N	N	
	10/F	44.8	70	53.6	70.4	63.1	6.7	0.0	35.4	71.2	Y	0.0	N	35.4	N	N	
	11/F	47.8	70	53.6	70.3	63.2	6.7	0.0	35.4	71.2	Y	0.0	N	35.4	N	N	
	12/F	50.8	70	53.6	70.2	63.2	6.7	0.0	35.5	71.1	Y	0.0	N	35.5	N	N	
	13/F	53.8	70	53.6	70.1	63.2	6.6	0.0	35.5	71.0	Y	0.0	N	35.5	N	N	
	14/F	56.8	70	53.6	70.0	63.2	6.6	0.0	35.5	70.9	Y	0.0	N	35.5	N	N	
P9	6/F	32.8	70	54.0	69.4	61.2	8.1	0.0	35.8	70.1	N	0.0	N	35.8	N	N	
	7/F	35.8	70	54.1	69.3	61.3	8.2	0.0	35.8	70.1	N	0.0	N	35.8	N	N	
	8/F	38.8	70	54.1	69.2	61.4	8.2	0.0	35.8	70.0	N	0.0	N	35.8	N	N	
	9/F	41.8	70	54.2	69.2	61.5	8.3	0.0	35.9	70.0	N	0.0	N	35.9	N	N	
	10/F	44.8	70	54.2	69.1	61.5	8.3	0.0	35.9	69.9	N	0.0	N	35.9	N	N	
	11/F	47.8	70	54.2	69.0	61.6	8.5	0.0	35.9	69.8	N	0.0	N	35.9	N	N	
	12/F	50.8	70	54.2	68.9	61.6	8.5	0.0	36.0	69.8	N	0.0	N	36.0	N	N	
	13/F	53.8	70	54.2	68.8	61.6	8.6	0.0	36.0	69.7	N	0.0	N	36.0	N	N	
	14/F	56.8	70	54.2	68.7	61.7	8.7	0.0	36.0	69.6	N	0.0	N	36.0	N	N	
P16	5/F	32.6	70	54.2	67.2	56.3	20.1	0.0	38.0	67.7	N	0.0	N	38.1	N	N	
	6/F	35.6	70	54.2	67.2	56.3	20.6	0.0	38.0	67.7	N	0.0	N	38.1	N	N	
	7/F	38.6	70	54.2	67.2	56.3	21.0	0.0	38.0	67.7	N	0.0	N	38.1	N	N	
	8/F	41.6	70	54.2	67.1	56.3	21.4	0.0	38.0	67.7	N	0.1	N	38.1	N	N	
	9/F	44.6	70	54.2	67.0	56.3	22.0	0.0	38.0	67.6	N	0.0	N	38.1	N	N	
	10/F	47.6	70	54.2	66.9	56.3	22.5	0.0	38.0	67.5	N	0.0	N	38.1	N	N	
	11/F	50.6	70	54.2	66.8	56.4	23.0	0.0	38.0	67.4	N	0.0	N	38.1	N	N	
	12/F	53.6	70	54.2	66.7	56.4	23.6	0.0	38.0	67.3	N	0.0	N	38.2	N	N	
	13/F	56.6	70	54.2	66.7	56.4	24.3	0.0	37.9	67.3	N	0.0	N	38.1	N	N	
14/F	59.6	70	54.2	66.6	56.5	24.9	0.0	37.9	67.2	N	0.0	N	38.1	N	N		
P17	3/F	21.6	70	59.5	66.6	57.1	21.2	0.0	45.1	67.8	N	0.0	N	45.1	N	N	
	4/F	24.6	70	59.5	67.0	57.1	21.6	0.0	45.2	68.1	N	0.0	N	45.2	N	N	
	5/F	27.6	70	59.5	67.2	57.1	22.0	0.0	45.2	68.3	N	0.1	N	45.2	N	N	
	6/F	30.6	70	59.5	67.2	57.0	22.5	0.0	45.2	68.2	N	0.0	N	45.2	N	N	
	7/F	33.6	70	59.5	67.2	57.0	23.0	0.0	45.2	68.2	N	0.0	N	45.2	N	N	
	8/F	36.6	70	59.6	67.2	56.9	23.5	0.0	45.2	68.2	N	0.0	N	45.2	N	N	
	9/F	39.6	70	59.6	67.2	56.9	24.0	0.0	45.2	68.2	N	0.0	N	45.2	N	N	
	10/F	42.6	70	59.6	67.1	56.8	24.7	0.0	45.2	68.2	N	0.1	N	45.2	N	N	
	11/F	45.6	70	59.6	67.1	56.8	25.2	0.0	45.2	68.2	N	0.1	N	45.2	N	N	
	12/F	48.6	70	59.6	67.0	56.7	25.9	0.0	45.3	68.1	N	0.0	N	45.3	N	N	
	13/F	51.6	70	59.6	66.9	56.7	26.5	0.0	45.3	68.0	N	0.0	N	45.4	N	N	
	P19	6/F	32.8	70	60.5	68.3	57.9	36.0	0.0	48.1	69.3	N	0.0	N	48.4	N	N
		7/F	35.8	70	60.5	68.3	57.8	36.0	0.0	48.1	69.3	N	0.0	N	48.4	N	N
8/F		38.8	70	60.6	68.3	57.7	36.0	0.0	48.1	69.3	N	0.0	N	48.4	N	N	
9/F		41.8	70	60.6	68.4	57.7	36.1	0.0	48.1	69.4	N	0.0	N	48.4	N	N	
10/F		44.8	70	60.6	68.3	57.6	36.2	0.0	48.1	69.3	N	0.0	N	48.4	N	N	
11/F		47.8	70	60.6	68.3	57.5	36.4	0.0	48.1	69.3	N	0.0	N	48.4	N	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
HT3	61/F	176.9	70	67.4	60.8	64.2	33.2	0.0	55.3	69.9	N	0.2	N	55.3	N	N	
	62/F	179.7	70	67.4	60.7	64.2	33.2	0.0	55.2	69.8	N	0.1	N	55.2	N	N	
	63/F	182.5	70	67.4	60.6	64.1	33.1	0.0	55.2	69.8	N	0.2	N	55.2	N	N	
	65/F	185.3	70	67.3	60.6	64.0	33.1	0.0	55.2	69.7	N	0.1	N	55.2	N	N	
	66/F	188.1	70	67.3	60.5	64.0	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	67/F	190.9	70	67.3	60.4	63.9	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	68/F	193.7	70	67.3	60.4	63.9	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	69/F	196.5	70	67.3	60.3	63.8	32.9	0.0	55.1	69.6	N	0.1	N	55.1	N	N	
	70/F	199.3	70	67.3	60.3	63.7	32.9	0.0	55.0	69.6	N	0.2	N	55.0	N	N	
	71/F	202.1	70	67.3	60.2	63.7	32.8	0.0	55.0	69.6	N	0.2	N	55.0	N	N	
	72/F	204.9	70	67.3	60.1	63.6	32.8	0.0	55.0	69.5	N	0.1	N	55.0	N	N	
	73/F	207.7	70	67.2	60.1	63.6	32.7	0.0	54.9	69.5	N	0.2	N	54.9	N	N	
	75/F	210.5	70	67.2	60.0	63.5	32.7	0.0	54.9	69.4	N	0.1	N	54.9	N	N	
	76/F	213.3	70	67.1	60.0	63.5	32.6	0.0	54.9	69.4	N	0.2	N	54.9	N	N	
	77/F	216.1	70	67.2	59.9	63.4	32.6	0.0	54.8	69.4	N	0.2	N	54.8	N	N	
	78/F	218.9	70	67.2	59.9	63.4	32.6	0.0	54.8	69.4	N	0.2	N	54.8	N	N	
79/F	221.7	70	67.1	59.8	63.3	32.5	0.0	54.8	69.3	N	0.2	N	54.8	N	N		
80/F	224.5	70	67.1	59.7	63.3	32.5	0.0	54.7	69.3	N	0.2	N	54.7	N	N		
HT1	7/F	39.7	70	58.5	71.1	62.1	0.0	0.0	48.5	71.8	Y	0.0	N	48.5	N	N	
	8/F	42.5	70	58.8	70.9	62.0	0.0	0.0	48.8	71.7	Y	0.0	N	48.8	N	N	
	9/F	45.3	70	59.0	70.7	61.9	0.0	0.0	48.9	71.5	Y	0.0	N	48.9	N	N	
	10/F	48.1	70	59.2	70.5	61.8	0.0	0.0	49.1	71.4	Y	0.1	N	49.1	N	N	
	11/F	50.9	70	59.5	70.4	61.7	0.0	0.0	49.2	71.3	Y	0.1	N	49.2	N	N	
	12/F	53.7	70	59.7	70.2	61.6	0.0	0.0	49.4	71.1	Y	0.0	N	49.4	N	N	
	13/F	56.5	70	60.0	70.0	61.4	0.0	0.0	49.6	71.0	Y	0.1	N	49.6	N	N	
	15/F	59.3	70	60.4	69.8	61.3	0.0	0.0	49.7	70.8	Y	0.0	N	49.7	N	N	
	16/F	62.1	70	60.9	69.7	61.2	0.0	0.0	49.9	70.8	Y	0.1	N	49.9	N	N	
	17/F	64.9	70	61.2	69.5	61.1	0.0	0.0	50.0	70.7	Y	0.1	N	50.0	N	N	
	18/F	67.7	70	61.6	69.4	61.0	0.0	0.0	50.1	70.6	Y	0.0	N	50.1	N	N	
	19/F	70.5	70	62.1	69.2	60.9	0.0	0.0	50.2	70.5	Y	0.0	N	50.2	N	N	
	20/F	73.3	70	62.6	69.1	60.8	0.0	0.0	50.3	70.5	Y	0.0	N	50.3	N	N	
	21/F	76.1	70	62.8	69.0	60.7	0.0	0.0	50.4	70.5	Y	0.1	N	50.4	N	N	
	22/F	78.9	70	63.1	68.8	60.6	0.0	0.0	50.5	70.4	N	0.1	N	50.5	N	N	
	23/F	81.7	70	63.4	68.7	60.6	0.0	0.0	50.6	70.4	N	0.1	N	50.6	N	N	
	25/F	84.5	70	63.6	68.5	60.5	0.0	0.0	50.7	70.3	N	0.1	N	50.7	N	N	
	27/F	90.1	70	64.0	68.3	60.3	0.0	0.0	50.8	70.2	N	0.1	N	50.8	N	N	
	28/F	92.9	70	64.1	68.2	60.2	0.0	0.0	50.9	70.1	N	0.0	N	50.9	N	N	
	29/F	95.7	70	64.2	68.0	60.1	0.0	0.0	50.9	70.0	N	0.0	N	50.9	N	N	
	30/F	98.5	70	64.3	67.9	60.1	0.0	0.0	50.9	70.0	N	0.1	N	50.9	N	N	
	31/F	101.3	70	64.4	67.8	60.0	0.0	0.0	50.9	70.0	N	0.1	N	50.9	N	N	
	32/F	104.1	70	64.5	67.7	60.0	0.0	0.0	50.9	69.9	N	0.0	N	50.9	N	N	
	33/F	106.9	70	64.5	67.6	59.9	0.0	0.0	50.9	69.9	N	0.1	N	50.9	N	N	
	35/F	109.7	70	64.5	67.5	59.8	0.0	0.0	50.9	69.8	N	0.1	N	50.9	N	N	
	36/F	112.5	70	64.6	67.4	59.8	0.0	0.0	50.9	69.8	N	0.1	N	50.9	N	N	
	37/F	115.3	70	64.6	67.3	59.7	0.0	0.0	51.0	69.7	N	0.1	N	51.0	N	N	
	38/F	118.1	70	64.6	67.2	59.6	0.0	0.0	51.0	69.6	N	0.0	N	51.0	N	N	
	39/F	120.9	70	64.6	67.1	59.6	0.0	0.0	51.0	69.6	N	0.1	N	51.0	N	N	
40/F	123.7	70	64.6	67.0	59.5	0.0	0.0	51.0	69.5	N	0.1	N	51.0	N	N		
41/F	126.5	70	64.6	66.9	59.5	0.0	0.0	51.0	69.4	N	0.0	N	51.0	N	N		
42/F	129.3	70	64.7	66.8	59.4	0.0	0.0	51.0	69.4	N	0.1	N	51.0	N	N		
43/F	132.1	70	64.7	66.7	59.3	0.0	0.0	51.0	69.3	N	0.0	N	51.0	N	N		
45/F	134.9	70	64.7	66.7	59.3	0.0	0.0	51.1	69.3	N	0.0	N	51.1	N	N		
46/F	137.7	70	64.8	66.6	59.2	0.0	0.0	51.1	69.3	N	0.0	N	51.1	N	N		
47/F	140.5	70	64.8	66.5	59.2	0.0	0.0	51.2	69.3	N	0.1	N	51.2	N	N		
48/F	143.3	70	64.9	66.4	59.1	0.0	0.0	51.2	69.2	N	0.0	N	51.2	N	N		
49/F	146.1	70	64.9	66.3	59.1	0.0	0.0	51.3	69.2	N	0.1	N	51.3	N	N		
50/F	148.9	70	65.1	66.3	59.0	0.0	0.0	51.3	69.3	N	0.1	N	51.3	N	N		

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
HT1	51/F	151.7	70	65.2	66.2	59.0	0.0	0.0	51.3	69.2	N	0.0	N	51.3	N	N	
	52/F	154.5	70	65.3	66.1	58.9	0.0	0.0	51.4	69.2	N	0.0	N	51.4	N	N	
	55/F	160.1	70	65.4	66.0	58.8	0.0	0.0	51.5	69.2	N	0.1	N	51.5	N	N	
	56/F	162.9	70	65.5	65.9	58.8	0.0	0.0	51.5	69.2	N	0.1	N	51.5	N	N	
	57/F	165.7	70	65.5	65.8	58.7	0.0	0.0	51.5	69.2	N	0.1	N	51.5	N	N	
	58/F	168.5	70	65.5	65.7	58.7	0.0	0.0	51.5	69.1	N	0.1	N	51.5	N	N	
	59/F	171.3	70	65.5	65.7	58.6	0.0	0.0	51.6	69.1	N	0.1	N	51.6	N	N	
	60/F	174.1	70	65.5	65.6	58.6	0.0	0.0	51.6	69.1	N	0.1	N	51.6	N	N	
	61/F	176.9	70	65.5	65.5	58.5	0.0	0.0	51.6	69.0	N	0.1	N	51.6	N	N	
	62/F	179.7	70	65.5	65.4	58.5	0.0	0.0	51.6	69.0	N	0.1	N	51.6	N	N	
	63/F	182.5	70	65.5	65.4	58.5	0.0	0.0	51.7	69.0	N	0.1	N	51.7	N	N	
	65/F	185.3	70	65.5	65.3	58.4	0.0	0.0	51.7	68.9	N	0.1	N	51.7	N	N	
	66/F	188.1	70	65.5	65.2	58.4	0.0	0.0	51.7	68.9	N	0.1	N	51.7	N	N	
	67/F	190.9	70	65.5	65.2	58.3	0.0	0.0	51.7	68.9	N	0.1	N	51.7	N	N	
	68/F	193.7	70	65.5	65.1	58.3	0.0	0.0	51.7	68.8	N	0.1	N	51.7	N	N	
	69/F	196.5	70	65.5	65.1	58.2	0.0	0.0	51.7	68.8	N	0.1	N	51.7	N	N	
	70/F	199.3	70	65.5	65.0	58.2	0.0	0.0	51.7	68.8	N	0.1	N	51.7	N	N	
	71/F	202.1	70	65.5	64.9	58.2	0.0	0.0	51.7	68.7	N	0.1	N	51.7	N	N	
	72/F	204.9	70	65.5	64.9	58.1	0.0	0.0	51.7	68.7	N	0.1	N	51.7	N	N	
	73/F	207.7	70	65.5	64.8	58.1	0.0	0.0	51.7	68.7	N	0.1	N	51.7	N	N	
75/F	210.5	70	65.5	64.8	58.0	0.0	0.0	51.7	68.7	N	0.1	N	51.7	N	N		
76/F	213.3	70	65.5	64.7	58.0	0.0	0.0	51.6	68.6	N	0.1	N	51.6	N	N		
77/F	216.1	70	65.4	64.6	58.0	0.0	0.0	51.6	68.5	N	0.1	N	51.6	N	N		
78/F	218.9	70	65.4	64.6	57.9	0.0	0.0	51.6	68.5	N	0.1	N	51.6	N	N		
79/F	221.7	70	65.4	64.5	57.9	0.0	0.0	51.6	68.5	N	0.1	N	51.6	N	N		
80/F	224.5	70	65.4	64.5	57.8	0.0	0.0	51.6	68.5	N	0.1	N	51.6	N	N		
VT1	10/F	47.7	70	38.7	53.9	78.0	7.0	55.3	11.1	78.0	Y	0.0	N	55.3	N	N	
	11/F	50.5	70	39.1	53.9	77.7	7.4	55.2	11.3	77.7	Y	0.0	N	55.2	N	N	
	12/F	53.3	70	39.5	53.9	77.5	7.7	55.1	11.6	77.5	Y	0.0	N	55.1	N	N	
	15/F	56.1	70	39.9	53.9	77.3	8.0	55.0	11.9	77.3	Y	0.0	N	55.0	N	N	
	16/F	58.9	70	40.3	53.9	77.0	8.3	54.9	12.1	77.0	Y	0.0	N	54.9	N	N	
	17/F	61.7	70	40.8	54.0	76.9	8.5	54.7	12.3	76.9	Y	0.0	N	54.7	N	N	
	18/F	64.5	70	41.3	54.2	76.7	8.8	54.6	12.6	76.8	Y	0.1	N	54.6	N	N	
	19/F	67.3	70	41.8	54.6	76.5	9.0	54.5	13.0	76.6	Y	0.1	N	54.5	N	N	
	20/F	70.1	70	42.4	54.9	76.3	9.3	54.4	13.2	76.4	Y	0.1	N	54.4	N	N	
	21/F	72.9	70	43.1	55.3	76.1	9.5	54.3	13.6	76.2	Y	0.1	N	54.3	N	N	
	22/F	75.7	70	43.9	55.5	76.0	9.8	54.2	13.9	76.1	Y	0.1	N	54.2	N	N	
	23/F	78.5	70	44.8	55.8	75.8	10.0	54.1	14.2	75.9	Y	0.1	N	54.1	N	N	
	25/F	81.3	70	45.9	56.0	75.6	10.2	53.9	14.6	75.7	Y	0.0	N	53.9	N	N	
	26/F	84.1	70	46.9	56.2	75.5	10.3	53.8	15.0	75.6	Y	0.0	N	53.8	N	N	
	27/F	86.9	70	48.2	56.4	75.4	10.5	53.7	15.4	75.5	Y	0.0	N	53.7	N	N	
	28/F	89.7	70	49.3	56.5	75.3	10.7	53.6	15.9	75.4	Y	0.0	N	53.6	N	N	
	30/F	95.3	70	50.9	56.6	75.0	11.2	53.4	16.8	75.1	Y	0.0	N	53.4	N	N	
	31/F	98.1	70	51.3	56.6	74.9	11.3	53.3	17.4	75.0	Y	0.0	N	53.3	N	N	
	32/F	100.9	70	51.6	56.7	74.8	11.5	53.2	17.8	74.9	Y	0.0	N	53.2	N	N	
	33/F	103.7	70	51.9	56.8	74.6	11.7	53.1	18.4	74.7	Y	0.0	N	53.1	N	N	
	35/F	106.5	70	52.2	56.8	74.5	11.8	53.0	18.9	74.6	Y	0.0	N	53.0	N	N	
	36/F	109.3	70	52.3	56.9	74.4	12.1	52.9	19.5	74.5	Y	0.0	N	52.9	N	N	
	37/F	112.1	70	52.5	57.0	74.3	12.3	52.8	20.1	74.4	Y	0.0	N	52.8	N	N	
	38/F	114.9	70	52.6	57.2	74.2	12.4	52.8	20.8	74.3	Y	0.0	N	52.8	N	N	
	39/F	117.7	70	52.7	57.3	74.1	12.7	52.7	21.9	74.3	Y	0.1	N	52.7	N	N	
	40/F	120.5	70	52.7	57.7	74.0	12.9	52.6	22.0	74.2	Y	0.1	N	52.6	N	N	
41/F	123.3	70	52.8	57.9	73.9	13.2	52.5	22.3	74.1	Y	0.1	N	52.5	N	N		
42/F	126.1	70	52.8	58.4	73.8	13.4	52.4	22.8	74.0	Y	0.0	N	52.4	N	N		
43/F	128.9	70	52.9	58.7	73.7	13.6	52.3	23.6	73.9	Y	0.0	N	52.3	N	N		
45/F	131.7	70	52.9	59.0	73.6	13.8	52.2	24.1	73.8	Y	0.0	N	52.2	N	N		
46/F	134.5	70	53.0	59.1	73.5	14.1	52.2	24.7	73.7	Y	0.0	N	52.2	N	N		

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
VT1	47/F	137.3	70	53.0	59.3	73.4	14.3	52.1	25.1	73.6	Y	0.0	N	52.1	N	N	
	48/F	140.1	70	53.1	59.4	73.3	14.6	52.0	25.4	73.5	Y	0.0	N	52.0	N	N	
	49/F	142.9	70	53.2	59.5	73.3	14.9	51.9	25.7	73.5	Y	0.0	N	51.9	N	N	
	50/F	145.7	70	53.2	59.5	73.2	14.9	51.8	26.0	73.5	Y	0.1	N	51.8	N	N	
	51/F	148.5	70	53.3	59.7	73.1	15.2	51.8	26.2	73.4	Y	0.1	N	51.8	N	N	
	52/F	151.3	70	53.3	59.7	73.0	15.5	51.7	26.3	73.3	Y	0.1	N	51.7	N	N	
	53/F	154.1	70	53.4	59.8	72.9	15.8	51.6	26.5	73.2	Y	0.0	N	51.6	N	N	
	55/F	156.9	70	53.5	59.9	72.8	16.1	51.5	26.6	73.1	Y	0.0	N	51.5	N	N	
	57/F	162.5	70	53.6	60.0	72.7	16.7	51.4	26.9	73.0	Y	0.0	N	51.4	N	N	
	58/F	165.3	70	53.7	60.0	72.6	17.0	51.3	26.9	72.9	Y	0.0	N	51.3	N	N	
	59/F	168.1	70	53.8	60.1	72.5	17.3	51.3	26.9	72.8	Y	0.0	N	51.3	N	N	
	60/F	170.9	70	53.8	60.1	72.5	17.6	51.2	27.0	72.8	Y	0.0	N	51.2	N	N	
	61/F	173.7	70	53.9	60.1	72.4	17.9	51.1	27.0	72.7	Y	0.0	N	51.1	N	N	
	62/F	176.5	70	54.0	60.1	72.3	18.3	51.1	27.1	72.6	Y	0.0	N	51.1	N	N	
	63/F	179.3	70	54.1	60.1	72.3	18.6	51.0	27.2	72.6	Y	0.0	N	51.0	N	N	
	65/F	182.1	70	54.2	60.1	72.2	18.9	50.9	27.2	72.6	Y	0.1	N	50.9	N	N	
	66/F	184.9	70	54.2	60.1	72.1	19.2	50.9	27.2	72.5	Y	0.1	N	50.9	N	N	
	67/F	187.7	70	54.3	60.1	72.1	19.6	50.8	27.1	72.5	Y	0.1	N	50.8	N	N	
	68/F	190.5	70	54.3	60.0	72.0	20.1	50.8	27.3	72.4	Y	0.1	N	50.8	N	N	
	69/F	193.3	70	54.3	60.0	71.9	20.7	50.7	27.3	72.3	Y	0.1	N	50.7	N	N	
70/F	196.1	70	54.4	60.0	71.9	21.4	50.6	27.3	72.3	Y	0.1	N	50.6	N	N		
LCS	1/F	8.2	65	32.9	51.0	83.5	1.9	59.2	5.0	83.5	Y	0.0	N	59.2	N	N	
	2/F	11.2	65	33.2	51.0	83.0	2.1	58.4	5.0	83.0	Y	0.0	N	58.4	N	N	
	3/F	14.2	65	33.4	51.0	82.3	2.1	57.6	5.0	82.3	Y	0.0	N	57.6	N	N	
	4/F	17.2	65	33.7	51.0	81.7	2.7	56.8	4.9	81.7	Y	0.0	N	56.8	N	N	
	5/F	20.2	65	34.0	51.0	81.2	3.3	56.0	5.5	81.2	Y	0.0	N	56.0	N	N	

Note: **Bold** figures with shaded boxes denote exceedance of relevant noise criteria
(*) Reference made to the criteria for educational institution